


FTLFJC-0006



#### **CONTACT US:**

If you have any questions about the installation of YITAHOME products, just contact us at +1 (888) 717-8084 from Mon-Fri 8:00 AM-4:30 PM PST / Sat. 8:00 AM-12:00 PM PST or e-mail us at after-sale.cs@hotmail.com

Alternative method to contact us (amazon.com orders only)
1.Log into your Amazon account
2.Go to "Your Orders" and find the purchase
3.Click on "Contact Seller"



FRAMED MIRROR

Keep away from children during installation. Children should not climb or hang on this framed mirror.

Keep the product door closed when not in use.
Open and close the product door gently to prevent the contents from falling.
Periodically check that all components are firmly fixed, tighten loose parts if necessary.


**ASSEMBLY INSTRUCTIONS** 

An electric drill, a hammer, a Phillips screwdriver, and a tape measure are required for mounting the framed mirror.

Item no.	Reference Image	Qty.
A		X1


Item no.	Reference Image	Qty.	MOUNTED TO A DOOR				
			Item no.	Reference Image	Qty.		
B		X1			Va		
(C-1)		X2	( <b>D</b> )	0	X2		
	Self-Adhesive Furniture Pad		(E)		X4		
				M6 X 8mm			
C-2		X2	(F)		X1		
	Hook & Loop Fastener						
MOUNTED TO A WALL							
Item no.	Reference Image	Qty.	Item no.	Reference Image	Qty.		
G		X2	H	TATATA A	X2		
	ф8mm			M4 X 35mm			


LAYOUTN



**ASSEMBLY INSTRUCTIONS** 









(C-1)

# **ASSEMBLY INSTRUCTIONS**


2 Que pcs Que pcs P1pc





**Note:** Peel film backings separately from the hook tape and loop tape. Press both tapes firmly against the back of the cabinet and onto the wall accordingly. Part C-2 can be used to prevent the product from swaying.













**Installation Completed** 


# Option Two: Mounted to a wall


1


Measure the distance between the mounting holes on the back of the product and drill correlating holes in the wall.
























**Note:** Peel film backings separately from the hook tape and loop tape. Press both tapes firmly against the back of the cabinet and onto the wall accordingly. Part C-2 can be used to prevent the product from swaying.







**Installation Completed** 


2.Remove part 2.


# **ASSEMBLY INSTRUCTIONS**


# How to turn lights on and off?


1. Rotate part 1 to horizontal position.












11


3.Remove part 3.









4. Put in six AA batteries.






5.Flip on the red switch to turn on the light (The light's color temperature is subject to the specific object). 6.Put Part 2 and Part 3 back in place.







**Note:** Door touch switch is installed in the cabinet so you can turn the light on and off by by rotating Part 1.

Lights turn on when Part 1 is placed horizontally and off when placed vertically.